

PATTERSON, THUENTE, SKAAR & CHRISTENSEN, L.L.C.

2000 US Bank Center
777 East Wisconsin Avenue
Milwaukee, Wisconsin 53202-5345 USA

FACSIMILE COVER SHEET

TELEPHONE: (414) 276-0977

FACSIMILE: (414) 276-0982

TOTAL NUMBER OF PAGES BEING SENT (INCLUDING COVER SHEET): 2

☐ Original documents to follow by mail

☒ No originals will be sent

DATE: 18 June 2003

TO: Paper for File
APPL. SER. NO. 09/649,692 ✓

FAX #: 703-872-9326

PHONE#: 703-306-5771

YOUR REF.: 09/649,692

OUR REF.: W1009.10-US-01

FROM: Jonathan M. Fritz

PHONE#: 414-277-6727

COMMENTS:

Official

Please see request for clarification attached.

FAX RECEIVED

JUN 19 2003

GROUP 3600

THIS FACSIMILE TRANSMISSION CONTAINS LEGALLY PRIVILEGED AND CONFIDENTIAL INFORMATION INTENDED FOR THE PARTY IDENTIFIED ABOVE. IF YOU HAVE RECEIVED THIS TRANSMISSION IN ERROR, PLEASE CALL PATTERSON, THUENTE, SKAAR & CHRISTENSEN COLLECT AT (612) 349-5740. DISTRIBUTION, REPRODUCTION OR ANY OTHER USE OF THIS TRANSMISSION BY ANY PARTY OTHER THAN THE INTENDED RECIPIENT IS STRICTLY PROHIBITED.

FACSIMILE SENT BY JMF

PATENT APPLICATION**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re the application of:

Attorney Docket No.: W1009.10-US-01
[Formerly 141.009/A]

Pease, Tyler E.

Confirmation No.: 8406

Application No.: 09/649,692

Examiner: Y. Horton

Filed: 08/28/00

Group Art Unit: 3635

For: AN INSULATED PANEL FOR COMMERCIAL OR RESIDENTIAL
CONSTRUCTION AND METHOD FOR ITS MANUFACTURE

REQUEST FOR CLARIFICATION*Sent via Facsimile
18 June 2003*Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

In response to the Office Action of May 5, 2003, clarification for the above-identified patent application is requested as follows:

Claim 6 has been indicated as being allowed. However, the Examiner indicated the allowability of claim 6 was withdrawn within the same Office Action. Clarification for this discrepancy is requested.

Claim 13 has been indicated as being allowed within the *Office Action Summary* and within *Previously Indicated Allowable Subject Matter*. However, within the body of the Office Action a rejection to claim 13 was made. Clarification for this discrepancy is requested.

Claim 27 has been indicated as being rejected within the *Office Action Summary*, yet no reasons for the rejection have been set forth. Clarification for this discrepancy is requested.

The Examiner is invited to telephone the undersigned if the Examiner believes it would be useful to advance prosecution.

Respectfully Submitted,



Jonathan M. Fritz
Attorney for Applicant
Reg. No. 52,922

Patterson, Thunte, Skaar & Christensen, L.L.C.
2000 U.S. Bank Center
777 East Wisconsin Avenue
Milwaukee, WI 53211
Phone: 414-276-0977
Direct: 414-277-6727
Fax: 414-276-0982

PATTERSON, THUENTE, SKAAR & CHRISTENSEN, L.L.C.

2000 US Bank Center
777 East Wisconsin Avenue
Milwaukee, Wisconsin 53202-5345 USA

FACSIMILE COVER SHEET

TELEPHONE: (414) 276-0977

FACSIMILE: (414) 276-0982

TOTAL NUMBER OF PAGES BEING SENT (INCLUDING COVER SHEET): 3

☐ Original documents to follow by mail

☒ No originals will be sent

DATE: 18 June 2003

TO: Paper for File
APPL. SER. NO. 09/649,692

Official

FAX #: 703-872-9326

PHONE#: 703-306-5771

YOUR REF.: 09/649,692

FAX RECEIVED

OUR REF.: W1009.10-US-01

FROM: Jonathan M. Fritz

JUN 19 2003

PHONE#: 414-277-6727

GROUP 3600

COMMENTS:

Please see request for clarification attached.

THIS FACSIMILE TRANSMISSION CONTAINS LEGALLY PRIVILEGED AND CONFIDENTIAL INFORMATION INTENDED FOR THE PARTY IDENTIFIED ABOVE. IF YOU HAVE RECEIVED THIS TRANSMISSION IN ERROR, PLEASE CALL PATTERSON, THUENTE, SKAAR & CHRISTENSEN COLLECT AT (612) 349-5740. DISTRIBUTION, REPRODUCTION OR ANY OTHER USE OF THIS TRANSMISSION BY ANY PARTY OTHER THAN THE INTENDED RECIPIENT IS STRICTLY PROHIBITED.

FACSIMILE SENT BY JMF

Received from <414 276 0982> at 6/18/03 3:38:30 PM [Eastern Daylight Time]

#16
8/13/03
T.TU

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the application of:

Attorney Docket No.: W1009.10-US-01
[Formerly 141.009/A]

Pease, Tyler E.

Confirmation No.: 8406

Application No.: 09/649,692

Examiner: Y. Horton

Filed: 08/28/00

Group Art Unit: 3635

For: AN INSULATED PANEL FOR COMMERCIAL OR RESIDENTIAL
CONSTRUCTION AND METHOD FOR ITS MANUFACTUREREQUEST FOR CLARIFICATIONSent via Facsimile
18 June 2003Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:


In response to the Office Action of May 5, 2003, clarification for the above-identified patent application is requested as follows:

Claim 13 has been indicated as being allowed within the *Office Action Summary* and within *Previously Indicated Allowable Subject Matter*. However, within the body of the Office Action a rejection to claim 13 was made. Clarification for this discrepancy is requested.

Claim 27 has been indicated as being rejected within the *Office Action Summary*, yet no reasons for the rejection have been set forth. Clarification for this discrepancy is requested.

The Examiner is invited to telephone the undersigned if the Examiner believes it would be useful to advance prosecution.

Respectfully Submitted,

Jonathan M. Fritz
Reg. No. 52,922

Direct Dial: 414-277-6727